

CE identification in accordance with BauPVO, valid from July 1st, 2013

You also find this document on www.rinn.net



Fa. Rinn Beton- und Naturstein Stadtroda GmbH
Bürgeler Straße 5, D-07646 Stadtroda

slabs made of concrete > 90x90x18cm
RINN2 - PzBgz 82-2009

DIN EN 1339:2003 including amendment 1:2006

floor covering for the outdoor or indoor use and on the roof

Fundamental Features	Performance		
	as outdoor floor covering	as indoor floor covering	as floor covering on the roof
reaction to fire	-	class A1	-
external fire performance	-	-	sufficient
release of asbestos	not given	not given	not given
flexural tensile strength	class 2 (T)	class 2 (T)	-
skid and slip resistance	sufficient	sufficient	-
durability of strength	sufficient	sufficient	-
durability of skid and slip resistance	NPD	NPD	-
weather resistance	class 3 (D)	-	-
thermal conductivity	-	$\lambda_{10, dry} = 1,56 \text{ W/(mK)}$	-

Additional product information (not subject of the CE identification)

maximum difference between the diagonals	class 2 (K)
allowable tolerance from the nominal size	≤ 80 mm slab thickness: class 3 (R) > 80 mm slab thickness: class 2 (P)
breaking load	see product data sheet
abrasion resistance	class 4 (I)

